



## Remix

Kvadrat

Composition:

New Wool 90%, Nylon 10%

Application:

Width: 138cm

Weight: 415g/linear metre

Price Band 3

Standards:

Abrasion Resistance: 100,000 Martindale rubs EN ISO 12947

Flammability: EN 1021-1/2 ignition source 0-1. BS 5852, part 1. BS 5852 ignition source 2-3. NFD 60 013. UNI 9175 1 IM. US Cal. Tech. Bull. 117. AS/NZS 3837 Class 2. IMO A.652(16).

Light Fastness: 5-7 (ISO)

Fastness to Rubbing: Wet: 4, Dry: 4-5 (ISO)

Colour Matching: Batch to batch variations in shade may occur within commercial tolerances.

Maintenance: Vacuum regularly. Wipe clean with a damp cloth.



V2614

373



V2627

662



V2626

653



V2625

643



V2624

632



V2615

383



V2630

692




V2620

443



V2622

543



V2629

682

## Remix



V2606

163



V2619

433




V2618

422



V2621

452



V2623

612



V2639

842



V2628

672



V2646

962



V2617

412



V2612

252



V2647

973




V2649

954



V2648

982



V2644

933



V2645

942



V2610

233

## Remix



V2643

923



V2611

242



V2642

912



V2609

223



V2613

362



V2616

393



V2607

173



V2634

753



V2604

143



V2603

133



V2637

783



V2608

183




V2641

873



V2640

852



V2605

152

# Remix



V2636

773



V2633

743



V2635

762



V2632

733



V2631

722



V2602

123



V2638


823



V2601


113





V2650

126



V2651

136



V2652

196



V2653

266



V2654

276



V2655

286



V2656

296



V2657

326



V2658

346



V2659

356



V2660

406

## Remix



V2661

516



V2662

536



V2663

566



V2664

606



V2665

686



V2666

716



V2667

796



V2668

816



V2669

836



V2670

866



V2671

906



V2672

996